

POOL STONES

by sofikitis



Hotel TheTsitouras Collection- Santorini-Greece

2019

2

VALUES

Priority to customers
Commitment to Quality
Respect towards our personnel
Innovation
Efficiency

Mission Vision

SOFIKITIS Poolstones mission is to manufacture and supply distinctively different products, offering leading edge results and innovative solutions to customers, ultimately, maximizing their satisfaction.

Over time, SOFIKITIS Poolstones has managed to establish itself as an innovating, efficient and reliable manufacturer of decorative natural stones for swimming pools and, thus to obtain a recognizable brand name, among the swimming pool industry.

Therefore, our vision is to continue the 12 years outstanding progress, as manufacturers in the field of decorative natural stones in-and-around the pool. Full customer's satisfaction, continuous research and development of our range of products remain as the most important dimensions of the corporate vision.

Why SOFIKITIS Poolstones?

SOFIKITIS Poolstones 38-year experience and tradition in natural decorative stones processing, as well as the internationally recognized brand have highly contributed to our tremendous growth. Having as distinguishing elements the innovation, the expertise, the modern equipment, the customer-oriented philosophy and the well-trained manpower we seek to further raise the standards in the swimming pool industry.


In this ever-changing industry, we, at SOFIKITIS Poolstones, have managed to remain committed to the values that have distinguished us as the premier leader in the swimming pool accessories industry. Values such as commitment to quality, innovation, efficiency and respect towards our personnel have been fundamental to our effort to achieve full customer satisfaction and upon them our corporate identity has been built.

Rodos Princess Beach Hotel -Greece

3

POOL
STONES
by sofikitis









POOL
STONES
by sofikitis




5







OVERFLOW POOLS



7

Private house in Israël

POOL
STONES
by sofikitis

MADE IN SINGAPORE *****




CL1B3




GE1B



GECG0



KV0C




KV8EU




RG0B3



RM0U



RW0D




SU1D



SU9M



VR0C



VR1C

8

POOL
STONES
by sofikitis



MODULAR DRAIN GRATE




POOL
STONES
by sofikitis

Public pool - Santorini island - Hotel Astro.palace and Suites


MODULAR DRAIN GRATE

Having as distinguishing elements the innovation, the expertise, the modern equipment, the customer-oriented philosophy and the well-trained manpower we seek to further raise the standards in the swimming pool industry.

Based on this philosophy, modular drain grates have been designed and manufactured in order to be easily installed almost in every channel, no matter if it is new or old.




slope and
half bullnose



a = 50 mm or 30 mm
b ≥ 20 mm

RM5Z



a = 50 mm. or 30 mm
b ≥ 20 mm
x, y < 5.5 mm

RW4Z






10

POOL
STONES
by sofikitis

CHANNELS



WATERFALL





11


**POOL
STONES**
by sofikitis

Hotel Royal Apollonia-Cyprus

“Our highest client compliment is when we are told that we gave them something they didn't even know they wanted”



KVVD1




KVCH1




KVC1H



KVH0



KVCH2



STEPS & FLOORING



SIGNATURE OF ELEGANCE

13

Our signature in creating excellence and our high aesthetics design have become highly sought-after by clients who love projects that feel modern, with high quality products, inspiring simplicity with all true elegance.

POOL
STONES
by sofikitis

Private house in England

14



SAFEWORLD

Welcome to our
Wonderful,
Luxurious, and
Safe Poolstones
world

All our
sandblasted
products have
anti-slippery rate
R13.

Children have small
fingers and toes and are
much more likely to
become hurt by drains
and grades in a pool. All
our grade models are
patterned with narrow
slots, preventing serious
injuries and ensuring
increased safety.

POOL
STONES
by sofikitis



SERVICES

15


step 2

3D visualization



step 3

pool in action







SOLVING PROBLEMS

Through the years and while using the pool ,despite having read instructions for proper use and maintenance of the decorative stones, several accidents are likely to occur , such as , breakage of the grate when removing from the channel , or staining , or damage from negligent pool care.

The company keeps two years digital record, with details of the customer's order, as well as color sample with regards to exact repetition of pool parts.

Further to the two years period, the file is destroyed, unless the customer asks to be kept up to 20 years, by paying a very low fee.



Walk-resistance measuring machine

Poolstones by Sofkitis products, can be accompanied by laboratory test results regarding their:

- Slip resistance
- Flexural strength
- Water drain capacity (applies to grates)
- Walk-resistance



work-in-process tracking system



Marble grate drainage testing machine



Laboratory flexural testing machine















STORE TECHNICAL SPECIFICATIONS

Every project is approached with the idea of prioritising product quality and optimal installation to ensure that functionality is achieved.

By infusing our projects with "green" products and practices we remain focused on our commitment for environmental accountability.

Whether you are considering an addition, remodel or creating a custom project, it requires proper planning and a touch of inspiration. Let us help you build your dream project.

- * Marble is a natural product, therefore color variations are to be expected.
- * Waterproof treatment is highly recommended for all natural stones. The client shall be liable for the cost and the supervision of the process.
- * Dimensions, quantities and treatments were made on the basis of the customer's suggestions and should be confirmed to begin manufacturing.
- * Additional quantities, work & process offered are agreed only in writing.
- * Adhesive is recommended for the installation of the products since mud is likely to cause various stains including salts stains.
- * When using an epoxy grout, make sure to clean it immediately after use.
- * In order to prevent marble pool products' erosion:
 - ~ Pool's water should be kept with a pH level of 7.2 to 7.6 throughout the day
 - ~ The level of the pool water's total alkalinity should be between 80ppm and 140 ppm
 - ~ The chlorine levels should be lower than 5ppm
 - ~ Before using chemical products in the pool channels, make sure to remove the drain grates first

| Pool Copings |  |  |  |  |  |  |  |  |
|---|---|---|--|---|---|---|---|---|
| Available stone colors | Stone Cutting Dimensions | | | | | | | |
|  | 61x20x3cm, 61x25x3cm, 61x31x3cm | 61x20x3cm, 61x25x3cm, 61x31x3cm | 61x20x5/3cm, 61x25x5/3cm, 61x31x5/3cm | 61x20x3cm, 61x25x3cm, 61x31x3cm | 61x20x3cm, 61x25x3cm, 61x31x3cm | 61x20x3cm, 61x25x3cm, 61x31x3cm | 61x20x4/2cm, 61x25x4/2cm, 50x25x4/2cm,50x25x4/2cm | 61x20x5cm, 61x25x5cm, 61x31x5cm |
|  | 61x20x3cm, 61x25x3cm, 61x31x3cm | 61x20x3cm, 61x25x3cm, 61x31x3cm | 61x20x5/3cm, 61x25x5/3cm, 61x31x5/3cm | 61x20x3cm, 61x25x3cm, 61x31x3cm | 61x20x3cm, 61x25x3cm, 61x31x3cm | 61x20x3cm, 61x25x3cm, 61x31x3cm | | 61x20x5cm, 61x25x5cm, 61x31x5cm |
|  | 61x20x3cm, 61x25x3cm, 61x31x3cm | 61x20x3cm, 61x25x3cm, 61x31x3cm | 61x20x5/3cm, 61x25x5/3cm, 61x31x5/3cm | 61x20x3cm, 61x25x3cm, 61x31x3cm | 61x20x3cm, 61x25x3cm, 61x31x3cm | 61x20x3cm, 61x25x3cm, 61x31x3cm | 61x20x4/2cm, 61x25x4/2cm, 50x25x4/2cm,50x25x4/2cm | 61x20x5cm, 61x25x5cm, 61x31x5cm |
|  | 61x20x3cm, 61x25x3cm, 61x31x3cm | 61x20x3cm, 61x25x3cm, 61x31x3cm | 61x20x5/3cm, 61x25x5/3cm, 61x31x5/3cm | 61x20x3cm, 61x25x3cm, 61x31x3cm | 61x20x3cm, 61x25x3cm, 61x31x3cm | 61x20x3cm, 61x25x3cm, 61x31x3cm | | 61x20x5cm, 61x25x5cm, 61x31x5cm |
|  | 60x20x3cm, 60x25x3cm, 60x31x3cm | 60x20x3cm, 60x25x3cm, 60x31x3cm | 60x20x5/3cm, 60x25x5/3cm, 60x31x5/3cm | 60x20x3cm, 60x25x3cm, 60x31x3cm | 60x20x3cm, 60x25x3cm, 60x31x3cm | 60x20x3cm, 60x25x3cm, 60x31x3cm | | 61x20x5cm, 61x25x5cm, 61x31x5cm |
|  | 60x20x3cm, 60x25x3cm, 60x31x3cm | 60x20x3cm, 60x25x3cm, 60x31x3cm | | 60x20x3cm, 60x25x3cm, 60x31x3cm | 60x20x3cm, 60x25x3cm, 60x31x3cm | 60x20x3cm, 60x25x3cm, 60x31x3cm | | 61x20x5cm, 61x25x5cm, 61x31x5cm |

STORE TECHNICAL SPECIFICATIONS

17

| Pool Drain Grates | DRAIN GRATE TYPE 0B | DRAIN GRATE TYPE 1B | DRAIN GRATE TYPE 0C | DRAIN GRATE TYPE 1C | DRAIN GRATE TYPE 0D | DRAIN GRATE TYPE 1D | DRAIN GRATE TYPE 8M | DRAIN GRATE TYPE 8EU | DRAIN GRATE TYPE 0U | |
|------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|
| Available stone colors | Stone Cutting Dimensions | | | | | | | | | |
| Kavala | 61x20x3cm, 61x25x3cm, 61x30x3cm | 61x20x3cm, 61x25x3cm, 61x30x3cm | 61x20x3cm, 61x25x3cm, 61x30x3cm | 61x20x3cm, 61x25x3cm, 61x30x3cm | 61x20x3cm, 61x25x3cm, 61x30x3cm | 61x20x3cm, 61x25x3cm, 61x30x3cm | 61x20x3cm, 61x25x3cm, 61x30x3cm | 60x20x3cm, 60x25x3cm, 60x30x3cm | 60x20x3cm, 60x25x3cm, 60x30x3cm | 61x20x3cm, 61x25x3cm, 61x30x3cm |
| East Grey | 61x20x3cm, 61x25x3cm, 61x30x3cm | 61x20x3cm, 61x25x3cm, 61x30x3cm | 61x20x3cm, 61x25x3cm, 61x30x3cm | 61x20x3cm, 61x25x3cm, 61x30x3cm | 61x20x3cm, 61x25x3cm, 61x30x3cm | 61x20x3cm, 61x25x3cm, 61x30x3cm | 61x20x3cm, 61x25x3cm, 61x30x3cm | 60x20x3cm, 60x25x3cm, 60x30x3cm | 60x20x3cm, 60x25x3cm, 60x30x3cm | 61x20x3cm, 61x25x3cm, 61x30x3cm |
| Sunny | 61x20x3cm, 61x25x3cm, 61x30x3cm | 61x20x3cm, 61x25x3cm, 61x30x3cm | 61x20x3cm, 61x25x3cm, 61x30x3cm | 61x20x3cm, 61x25x3cm, 61x30x3cm | 61x20x3cm, 61x25x3cm, 61x30x3cm | 61x20x3cm, 61x25x3cm, 61x30x3cm | 61x20x3cm, 61x25x3cm, 61x30x3cm | 60x20x3cm, 60x25x3cm, 60x30x3cm | 60x20x3cm, 60x25x3cm, 60x30x3cm | 61x20x3cm, 61x25x3cm, 61x30x3cm |
| California | 61x20x3cm, 61x25x3cm, 61x30x3cm | 61x20x3cm, 61x25x3cm, 61x30x3cm | 61x20x3cm, 61x25x3cm, 61x30x3cm | 61x20x3cm, 61x25x3cm, 61x30x3cm | 61x20x3cm, 61x25x3cm, 61x30x3cm | 61x20x3cm, 61x25x3cm, 61x30x3cm | 61x20x3cm, 61x25x3cm, 61x30x3cm | 60x20x3cm, 60x25x3cm, 60x30x3cm | 60x20x3cm, 60x25x3cm, 60x30x3cm | 61x20x3cm, 61x25x3cm, 61x30x3cm |
| Royal Marfil | 61x20x3cm, 61x25x3cm, 61x30x3cm | 61x20x3cm, 61x25x3cm, 61x30x3cm | 61x20x3cm, 61x25x3cm, 61x30x3cm | 61x20x3cm, 61x25x3cm, 61x30x3cm | 61x20x3cm, 61x25x3cm, 61x30x3cm | 61x20x3cm, 61x25x3cm, 61x30x3cm | 61x20x3cm, 61x25x3cm, 61x30x3cm | 60x20x3cm, 60x25x3cm, 60x30x3cm | 60x20x3cm, 60x25x3cm, 60x30x3cm | 61x20x3cm, 61x25x3cm, 61x30x3cm |
| Royal White | 61x20x3cm, 61x25x3cm, 61x30x3cm | 61x20x3cm, 61x25x3cm, 61x30x3cm | 61x20x3cm, 61x25x3cm, 61x30x3cm | 61x20x3cm, 61x25x3cm, 61x30x3cm | 61x20x3cm, 61x25x3cm, 61x30x3cm | 61x20x3cm, 61x25x3cm, 61x30x3cm | 61x20x3cm, 61x25x3cm, 61x30x3cm | 60x20x3cm, 60x25x3cm, 60x30x3cm | 60x20x3cm, 60x25x3cm, 60x30x3cm | 61x20x3cm, 61x25x3cm, 61x30x3cm |


| Pool Trimmers Chopings Modular Grates | TRIMMER TYPE T1 | TRIMMER TYPE T2 | TRIMMER TYPE T3 | Coping Type CH1 | Coping Type H0 | Channel Type CH1 | Modular grate 3z (reinforced with engineering marble) | Modular grate 4z | Modular grate 5z |
|---|---------------------------------|---------------------------------|---------------------------------|---------------------------------------|---------------------------------------|---|--|--|--|
| Available stone colors | Stone Cutting Dimensions | | | | | | | | |
| Καβάλας | 61x10x3cm, 61x15x3cm, 61x20x3cm | 61x10x5cm, 61x15x5cm, 61x20x5cm | 61x10x3cm, 61x15x3cm, 61x20x3cm | 61x20x5/3cm, 61x25x5/3cm, 61x31x5/3cm | 61x20x5/3cm, 61x25x5/3cm, 61x31x5/3cm | External length:61cm, External width: 25cm, External height: 17cm | | 3x20x3cm, 3x25x3cm, 5x20x3cm, 5x25x3cm | 3x20x3cm, 3x25x3cm, 5x20x3cm, 5x25x3cm |
| East Grey | 61x10x3cm, 61x15x3cm, 61x20x3cm | 61x10x5cm, 61x15x5cm, 61x20x5cm | 61x10x3cm, 61x15x3cm, 61x20x3cm | 61x20x5/3cm, 61x25x5/3cm, 61x31x5/3cm | 61x20x5/3cm, 61x25x5/3cm, 61x31x5/3cm | External length:61cm, External width: 25cm, External height: 17cm | 3x20x3cm, 3x25x3cm, 5x20x3cm, 5x25x3cm | 3x20x3cm, 3x25x3cm, 5x20x3cm, 5x25x3cm | 3x20x3cm, 3x25x3cm, 5x20x3cm, 5x25x3cm |
| Σάνυ | 61x10x3cm, 61x15x3cm, 61x20x3cm | 61x10x5cm, 61x15x5cm, 61x20x5cm | 61x10x3cm, 61x15x3cm, 61x20x3cm | 61x20x5/3cm, 61x25x5/3cm, 61x31x5/3cm | 61x20x5/3cm, 61x25x5/3cm, 61x31x5/3cm | | 3x20x3cm, 3x25x3cm, 5x20x3cm, 5x25x3cm | | |
| Καλιφόρνια | 61x10x3cm, 61x15x3cm, 61x20x3cm | 61x10x5cm, 61x15x5cm, 61x20x5cm | 61x10x3cm, 61x15x3cm, 61x20x3cm | 61x20x5/3cm, 61x25x5/3cm, 61x31x5/3cm | 61x20x5/3cm, 61x25x5/3cm, 61x31x5/3cm | | 3x20x3cm, 3x25x3cm, 5x20x3cm, 5x25x3cm | | |
| Royal Marfil | 61x10x3cm, 61x15x3cm, 61x20x3cm | 61x10x5cm, 61x15x5cm, 61x20x5cm | 61x10x3cm, 61x15x3cm, 61x20x3cm | 61x20x5/3cm, 61x25x5/3cm, 61x31x5/3cm | 61x20x5/3cm, 61x25x5/3cm, 61x31x5/3cm | External length:61cm, External width: 25cm, External height: 17cm | | 3x20x3cm, 3x25x3cm, 5x20x3cm, 5x25x3cm, 5x30x3cm | 3x20x3cm, 3x25x3cm, 5x20x3cm, 5x25x3cm, 5x30x3cm |
| Royal White | 61x10x3cm, 61x15x3cm, 61x20x3cm | | 61x10x3cm, 61x15x3cm, 61x20x3cm | | | | | 3x20x3cm, 3x25x3cm, 5x20x3cm, 5x25x3cm, 5x30x3cm | 3x20x3cm, 3x25x3cm, 5x20x3cm, 5x25x3cm, 5x30x3cm |



No 4
Overflow
Systems



No 8
Overflow
Systems




No 9
Overflow
Systems



No 11
Overflow
Systems

Materials


(Marbles are natural products, therefore color variations are to be expected.)



KAVALA




CALIFORNIA



ROYAL GRAY

DRY
LOOK

WET
LOOK



EAST GREY



ROYAL MARFIL



POOL STONES
by sofikitis

Materials

(Marbles are natural products, therefore color variations are to be expected.)

19


This block contains the company logo 'POOL STONES by sofikitis' in the top right corner. The word 'Materials' is written in a large, clean font in the center, with a note in parentheses below it. The number '19' is displayed in a large white font inside a teal square on the right side.





**POOL
STONES**
by sofikitis

POOLSTONES BY SOFIKITIS
NATURAL STONE INDUSTRY
HEADQUARTERS (FACTORY): TRAHIA EPIDAUROS - GR 210 52
PHONE Nr:0030 2753071260 - FAX: 0030 2753071333
OFFICE: VOULIAGMENIS AVENUE 72
VOULA - GR 166 73
PHONE Nr.: 0030 2109689030 - FAX: 0030 2109689034
e-mail: info@poolstones.com - web site: www.poolstones.com



Follow us:

